

DAFTAR PUSTAKA

Alter, 2001. *Sistem Informasi*

Arikunto, 2001. *Tentang Dokumentasi*

Bodnar, Hopwood.2001. *Sistem Informasi*

Fathansyah, 2000 .*Basis Data*

Hakim,Lukmanul.2009.Trik Rahasia Master PHP.Yogyakarta:Lokomedia

Kadir,Abdul. 2002 . *Tentang Informasi*

Supardi,Yuniar.2010.Langkah Menjadi Web Master PHP5 dan MySQL5.Jakarta:Ardikom

Raymond, Mcleod, Jr. 2001. *Basis Data*

[www.Aguscandra.com/ pengertian](http://www.Aguscandra.com/pengertian) Surat Masuk Surat Keluar

www.Gunadarma.ac.id/Pengertian Sistem dan Analisis Sistem.

www. Baliorange.web.id/pengertian-website-webhosting-domainname

www.scribd.com/doc/34961289/pengertian-data

Http : //nickdesain.net/*Pengertian Sistem Informasi*

http://id.shvoong.com/social-sciences/com

LAMPIRAN – LAMPIRAN

1. Login

```
<?php require_once('Connections/connwebklu.php'); ?>
<?php
mysql_select_db($database_connwebklu, $connwebklu);
$query_rslogin = "SELECT * FROM login";
$rslogin = mysql_query($query_rslogin, $connwebklu) or
die(mysql_error());
$row_rslogin = mysql_fetch_assoc($rslogin);
$totalRows_rslogin = mysql_num_rows($rslogin);
?><?php
// *** Validate request to login to this site.
if (!isset($_SESSION)) {
    session_start();
}

$loginFormAction = $_SERVER['PHP_SELF'];
if (isset($_GET['accesscheck'])) {
    $_SESSION['PrevUrl'] = $_GET['accesscheck'];
}

if (isset($_POST['textfield'])) {
    $loginUsername=$_POST['textfield'];
    $password=$_POST['textfield2'];
    $MM_fldUserAuthorization = "";
    $MM_redirectLoginSuccess = "home.php";
    $MM_redirectLoginFailed = "index.php";
    $MM_redirecttoReferrer = false;
    mysql_select_db($database_connwebklu, $connwebklu);
```

```
$LoginRS__query=sprintf("SELECT username, password FROM login
WHERE username='%s' AND password='%s'",
get_magic_quotes_gpc() ? $loginUsername :
addslashes($loginUsername), get_magic_quotes_gpc() ? $password :
addslashes($password));
```

```
$LoginRS = mysql_query($LoginRS__query, $connwebklu) or
die(mysql_error());
$loginFoundUser = mysql_num_rows($LoginRS);
if ($loginFoundUser) {
$loginStrGroup = "";
```

```
//declare two session variables and assign them
$_SESSION['MM_Username'] = $loginUsername;
$_SESSION['MM_UserGroup'] = $loginStrGroup;
```

```
if (isset($_SESSION['PrevUrl']) && false) {
$MM_redirectLoginSuccess = $_SESSION['PrevUrl'];
}
header("Location: " . $MM_redirectLoginSuccess );
}
else {
header("Location: " . $MM_redirectLoginFailed );
}
}
?>
<html><head>
```

```
<meta http-equiv="content-type" content="text/html; charset=ISO-8859-1">
```

```
<title>Sistem Informasi Manajemen File</title>
```

```
<style type="text/css">
```

```
<!--
```

```
.style33 {color: #FFFFFF; font-weight: bold; }
```

```
.style34 {color: #FFFF00; }
```

```
-->
```

```
</style>
```

```
</head>
```

```
<body leftmargin="0" topmargin="0" text="#000000"
```

```
bgcolor="#333333" marginheight="0" marginwidth="0" >
```

```
<table width="824" align="center" border="0" cellpadding="0"
```

```
cellspacing="0">
```

```
<tbody>
```

```
<tr>
```

```
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
```

```
</tr>
```

```
<tr>
```

```
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
```

```
</tr>
```

```
<tr>
```

```
<td valign="top" bgcolor="#0CB832"  
class="verdana8point">&nbsp;</td>
```

```
</tr>
```

```
<tr>
```

```

<td height="330" valign="top" bgcolor="#A6EF9C"
class="verdana8point"><table width="868" border="0" align="center">
<tr>
<td width="189" height="114" valign="top"></td>
<td width="537" valign="top"><form name="index" method="POST"
action="<?php echo $loginFormAction; ?>">
<p>&nbsp;</p>
<table width="489" height="298" border="0" align="center"
cellpadding="0" cellspacing="0" bordercolor="#666666">
<tr>
<td></td>
</tr>
<tr>
<td height="162" align="center" valign="top"
bgcolor="#68BA65"><p>&nbsp;</p>
<table width="258" border="0" align="center">
<tr>
<th width="104" scope="row"><div align="left" class="style34">USER
NAME </div></th>
<td width="144"><label></label>
<input type="text" name="textfield"></td>
</tr>
<tr>
<th height="38" scope="row"><div align="left"
class="style34">PASSWORD</div></th>
<td><label></label>
<input type="password" name="textfield2"></td>
</tr>

```

```

</table>
<p> 
<input name="login" type="submit" id="login" value=" Login " />
<input type="reset" name="reset" value=" Batal " />
</p></td>
</tr>
<tr>
<td height="52" align="center" bordercolor="#68BA65"
bgcolor="#0C9A04"><span
class="style33"><blink>www.dikpora_klu@yahoo.com</blink></span>
</td>
</tr>
</table>
</form> </td>
<td width="128" valign="top">&nbsp;</td>
</tr>
</table></td>
</tr>
</tbody>
</table>
</body></html>
<?php
mysql_free_result($rslogin);
?>

```

2. Home

```

<html><head>
<meta http-equiv="content-type" content="text/html; charset=ISO-
8859-1">
<title>Sistem Informasi Manajemen File</title>

```

```

<style type="text/css">
<!--
.style1 {
color: #FF0000;
font-weight: bold;
}
.style2 {
color: #006600;
font-weight: bold;
}
-->
</style>
</head>
<body leftmargin="0" topmargin="0" text="#000000"
bgcolor="#333333" marginheight="0" marginwidth="0" >
<table width="824" align="center" border="0" cellpadding="0"
cellspacing="0">
<tbody>
<tr>
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
</tr>
<tr>

```

3. Guru

```

<?php require_once('Connections/connwebklu.php'); ?>
<?php
$maxRows_RSGURU = 10;
$pageNum_RSGURU = 0;
if (isset($_GET['pageNum_RSGURU'])) {

```

```

    $pageNum_RSGURU = $_GET['pageNum_RSGURU'];
}
$startRow_RSGURU = $pageNum_RSGURU * $maxRows_RSGURU;

mysql_select_db($database_connwebklu, $connwebklu);
$query_RSGURU = "SELECT * FROM tabel_guru";
$query_limit_RSGURU = sprintf("%s LIMIT %d, %d",
$query_RSGURU, $startRow_RSGURU, $maxRows_RSGURU);
$RSGURU = mysql_query($query_limit_RSGURU, $connwebklu) or
die(mysql_error());
$row_RSGURU = mysql_fetch_assoc($RSGURU);

if (isset($_GET['totalRows_RSGURU'])) {
    $totalRows_RSGURU = $_GET['totalRows_RSGURU'];
} else {
    $all_RSGURU = mysql_query($query_RSGURU);
    $totalRows_RSGURU = mysql_num_rows($all_RSGURU);
}
$totalPages_RSGURU =
ceil($totalRows_RSGURU/$maxRows_RSGURU)-1;
?><html><head>

```

4. Jabatan

```

<?php require_once('Connections/connwebklu.php'); ?>
<?php
$maxRows_rsjabatan = 10;
$pageNum_rsjabatan = 0;
if (isset($_GET['pageNum_rsjabatan'])) {
    $pageNum_rsjabatan = $_GET['pageNum_rsjabatan'];
}

```

```
$startRow_rsjabatan = $pageNum_rsjabatan * $maxRows_rsjabatan;
```

```
mysql_select_db($database_connwebklu, $connwebklu);
```

```
$query_rsjabatan = "SELECT * FROM tabel_jabatan";
```

```
$query_limit_rsjabatan = sprintf("%s LIMIT %d, %d",
```

```
$query_rsjabatan, $startRow_rsjabatan, $maxRows_rsjabatan);
```

```
$rsjabatan = mysql_query($query_limit_rsjabatan, $connwebklu) or  
die(mysql_error());
```

```
$row_rsjabatan = mysql_fetch_assoc($rsjabatan);
```

```
if (isset($_GET['totalRows_rsjabatan'])) {
```

```
$totalRows_rsjabatan = $_GET['totalRows_rsjabatan'];
```

```
} else {
```

```
$all_rsjabatan = mysql_query($query_rsjabatan);
```

```
$totalRows_rsjabatan = mysql_num_rows($all_rsjabatan);
```

```
}
```

```
$totalPages_rsjabatan =
```

```
ceil($totalRows_rsjabatan/$maxRows_rsjabatan)-1;
```

```
?><html><head>
```

```
<meta http-equiv="content-type" content="text/html; charset=ISO-  
8859-1">
```

```
<title>Sistem Informasi Manajemen File</title>
```

```
<style type="text/css">
```

```
<!--
```

```
.style1 {
```

```
color: #FF0000;
```

```
font-weight: bold;
```

```
}
```

```
.style2 {
```

```
color: #006600;
font-weight: bold;
}
.style12 {font-family: Arial; font-size: 12px; color: #FFFFFF;}
.style17 {font-family: Arial; font-size: 12px; }
-->
</style>
</head>
<body leftmargin="0" topmargin="0" text="#000000"
bgcolor="#333333" marginheight="0" marginwidth="0" >
<table width="824" align="center" border="0" cellpadding="0"
cellspacing="0">
<tbody>
<tr>
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
</tr>
<tr>
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
</tr>
<tr>
<td valign="top" bgcolor="#0CB832"
class="verdana8point">&nbsp;</td>
</tr>
<tr>
<td height="330" valign="top" bgcolor="#A6EF9C"
class="verdana8point"><table width="868" border="0" align="center">
<tr>
```

```
<td width="189" height="114" valign="top"></td>
<td width="620" align="center" valign="top"><table width="622"
height="42" border="0" cellpadding="0" cellspacing="0">
<tr>
<td width="126" height="41"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="126" height="40"
title="BTNHOME">
<param name="movie" value="HOME.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="HOME.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="126" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="122"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNPROFIL">
<param name="movie" value="PROFIL.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
```

```
<embed src="PROFIL.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
```

```
</object>
```

```
</strong></td>
```

```
<td width="119"><object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
```

```
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
```

```
title="BTNGURU">
```

```
<param name="movie" value="GURU.swf">
```

```
<param name="quality" value="high">
```

```
<param name="bgcolor" value="#A6EF9C">
```

```
<embed src="GURU.swf" quality="high"
```

```
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
```

```
shockwave-flash" width="111" height="40"
```

```
bgcolor="#A6EF9C"></embed>
```

```
</object></td>
```

```
<td width="117"><strong>
```

```
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
```

```
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
```

```
title="BTNJABATAN">
```

```
<param name="movie" value="JABATAN.swf">
```

```
<param name="quality" value="high">
```

```
<param name="bgcolor" value="#A6EF9C">
```

```
<embed src="JABATAN.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="133"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNMASAKERJA">
<param name="movie" value="MASAKERJA.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="MASAKERJA.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
</tr>
</table>
<p class="style2"><blink>JABATAN </blink></p>
<table width="490" height="97" border="0">
<tr>
```

```

<td colspan="6" align="left" valign="bottom"
bgcolor="#A6EF9C"><form action="tambahjabatan.php"
method="post" name="tambahjabatan" id="tambahjabatan">
<label>
<input name="tambah" type="submit" id="tambah" value="T A M B A
H">
</label>
</form>          </td>
</tr>
<tr>
<td width="134" align="center" bgcolor="#009933"><span
class="style12">Kode Jabatan </span></td>
<td width="200" align="center" bgcolor="#009933"><span
class="style12">Jabatan</span></td>
<td colspan="2" align="center" bgcolor="#009933"><span
class="style12">AKSI</span></td>
</tr>
<?php do { ?>
<tr>
<td height="23" bgcolor="#00CC99"><span class="style17"><?php
echo $row_rsjabatan['kode_jabatan']; ?></span></td>
<td bgcolor="#00CC99"><span class="style17"><?php echo
$row_rsjabatan['jabatan']; ?></span></td>
<td width="69" align="center" bgcolor="#9999FF"><a
href="ubahjabatan.php?id=<?php echo
$row_rsjabatan['kode_jabatan']; ?>" class="style17"><font
color="#000000">ubah</font></a></td>
<td width="69" align="center" bgcolor="#9966FF"><a href="javascript:
if (confirm('Apakah anda yakin untuk menghapus data ini ?'))

```

```

{document.location = 'Hapusjabatan.php?id=<?php echo
$row_rsjabatan['kode_jabatan']; ?>';}" class="style17"><font
color="#000000">hapus</font></a></td>
</tr>
<?php } while ($row_rsjabatan = mysql_fetch_assoc($rsjabatan)); ?>
</table>
<p>&nbsp;</p></td>
<td width="45" align="center" valign="top"><span class="style1"><a
href="javascript: if (confirm('Anda Yakin Untuk Keluar ?'))
{document.location = 'index.php ';}">logout</a></span></td>
</tr>
</table></td>
</tr>
</tbody>
</table>
</body></html>
<?php
mysql_free_result($rsjabatan);
?>

```

5. Unit Kerja

```

<?php require_once('Connections/connwebklu.php'); ?>
<?php
$maxRows_rsunitkerja = 10;
$pageNum_rsunitkerja = 0;
if (isset($_GET['pageNum_rsunitkerja'])) {
$pageNum_rsunitkerja = $_GET['pageNum_rsunitkerja'];
}
$startRow_rsunitkerja = $pageNum_rsunitkerja *
$maxRows_rsunitkerja;

```

```
mysql_select_db($database_connwebklu, $connwebklu);
$query_rsunitkerja = "SELECT * FROM tabel_unit_kerja";
$query_limit_rsunitkerja = sprintf("%s LIMIT %d, %d",
$query_rsunitkerja, $startRow_rsunitkerja, $maxRows_rsunitkerja);
$rsunitkerja = mysql_query($query_limit_rsunitkerja, $connwebklu) or
die(mysql_error());
$row_rsunitkerja = mysql_fetch_assoc($rsunitkerja);
```

```
if (isset($_GET['totalRows_rsunitkerja'])) {
$totalRows_rsunitkerja = $_GET['totalRows_rsunitkerja'];
} else {
$all_rsunitkerja = mysql_query($query_rsunitkerja);
$totalRows_rsunitkerja = mysql_num_rows($all_rsunitkerja);
}
$totalPages_rsunitkerja =
ceil($totalRows_rsunitkerja/$maxRows_rsunitkerja)-1;
?><html><head>
<meta http-equiv="content-type" content="text/html; charset=ISO-
8859-1">
<title>Sistem Informasi Manajemen File</title>
<style type="text/css">
<!--
.style1 {
color: #FF0000;
font-weight: bold;
}
.style2 {
color: #006600;
```

```

font-weight: bold;
}
.style12 {font-family: Arial; font-size: 12px; color: #FFFFFF;}
.style17 {font-family: Arial; font-size: 12px; }
-->
</style>
</head>
<body leftmargin="0" topmargin="0" text="#000000"
bgcolor="#333333" marginheight="0" marginwidth="0" >
<table width="824" align="center" border="0" cellpadding="0"
cellspacing="0">
<tbody>
<tr>
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
</tr>
<tr>
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
</tr>
<tr>
<td valign="top" bgcolor="#0CB832"
class="verdana8point">&nbsp;</td>
</tr>
<tr>
<td height="330" valign="top" bgcolor="#A6EF9C"
class="verdana8point"><table width="868" border="0" align="center">
<tr>

```

```
<td width="189" height="114" valign="top"></td>
<td width="620" align="center" valign="top"><table width="622"
height="42" border="0" cellpadding="0" cellspacing="0">
<tr>
<td width="126" height="41"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="126" height="40"
title="BTNHOME">
<param name="movie" value="HOME.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="HOME.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="126" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="122"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNPROFIL">
<param name="movie" value="PROFIL.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
```

```
<embed src="PROFIL.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
```

```
</object>
```

```
</strong></td>
```

```
<td width="119"><object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
```

```
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
```

```
title="BTNGURU">
```

```
<param name="movie" value="GURU.swf">
```

```
<param name="quality" value="high">
```

```
<param name="bgcolor" value="#A6EF9C">
```

```
<embed src="GURU.swf" quality="high"
```

```
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
```

```
shockwave-flash" width="111" height="40"
```

```
bgcolor="#A6EF9C"></embed>
```

```
</object></td>
```

```
<td width="117"><strong>
```

```
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
```

```
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
```

```
title="BTNJABATAN">
```

```
<param name="movie" value="JABATAN.swf">
```

```
<param name="quality" value="high">
```

```
<param name="bgcolor" value="#A6EF9C">
```

```
<embed src="JABATAN.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="133"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNMASAKERJA">
<param name="movie" value="MASAKERJA.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="MASAKERJA.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
</tr>
</table>
<p class="style2"><blink>UNIT KERJA </blink></p>
<table width="490" height="97" border="0">
<tr>
```

```

<td colspan="6" align="left" valign="bottom"
bgcolor="#A6EF9C"><form action="Tambahmasakerja.php"
method="post" name="tambahjabatan" id="tambahjabatan">
<label>
<input name="tambah" type="submit" id="tambah" value="T A M B A
H">
</label>
</form></td>
</tr>
<tr>
<td width="134" align="center" bgcolor="#009933"><span
class="style12">Kode Unit Kerja </span></td>
<td width="200" align="center" bgcolor="#009933"><span
class="style12">Unit Kerja </span></td>
<td colspan="2" align="center" bgcolor="#009933"><span
class="style12">AKSI</span></td>
</tr>
<?php do { ?>
<tr>
<td height="23" bgcolor="#00CC99"><span class="style17"><?php
echo $row_rsunitkerja['kode_unit_kerja']; ?></span></td>
<td bgcolor="#00CC99"><span class="style17"><?php echo
$row_rsunitkerja['unit_kerja']; ?></span></td>
<td width="69" align="center" bgcolor="#9999FF"><a
href="ubahjabatan.php?id=<?php echo
$row_rsunitkerja['kode_unit_kerja']; ?>" class="style17"><font
color="#000000">ubah</font></a></td>
<td width="69" align="center" bgcolor="#9966FF"><a href="javascript:
if (confirm('Apakah anda yakin untuk menghapus data ini ?'))

```

```

{document.location = 'Hapusunitkerja.php?id=<?php echo
$row_rsunitkerja['kode_unit_kerja']; ?>';}" class="style17"><font
color="#000000">hapus</font></a></td>
</tr>
<?php } while ($row_rsunitkerja = mysql_fetch_assoc($rsunitkerja)); ?>
</table>
<p>&nbsp;</p></td>
<td width="45" align="center" valign="top"><span class="style1"><a
href="javascript: if (confirm('Anda Yakin Untuk Keluar ?'))
{document.location = 'index.php ';}">logout</a></span></td>
</tr>
</table></td>
</tr>
</tbody>
</table>
</body></html>
<?php
mysql_free_result($rsunitkerja);
?>

```

6. Laporan

```

<?php require_once('Connections/connwebklu.php'); ?>
<?php require_once('Connections/connwebklu.php'); ?>
<?php
$maxRows_rstransaksi = 10;
$pageNum_rstransaksi = 0;
if (isset($_GET['pageNum_rstransaksi'])) {
$pageNum_rstransaksi = $_GET['pageNum_rstransaksi'];
}

```

```

$startRow_rstransaksi = $pageNum_rstransaksi *
$maxRows_rstransaksi;

mysql_select_db($database_connwebklu, $connwebklu);
$query_rstransaksi = "SELECT * FROM tabel_transaksi, tabel_guru,
tabel_jabatan, tabel_unit_kerja WHERE
tabel_transaksi.kode_guru=tabel_guru.kode_guru AND
tabel_transaksi.kode_jabatan=tabel_jabatan.kode_jabatan AND
tabel_transaksi.kode_unit_kerja=tabel_unit_kerja.kode_unit_kerja";
$query_limit_rstransaksi = sprintf("%s LIMIT %d, %d",
$query_rstransaksi, $startRow_rstransaksi, $maxRows_rstransaksi);
$rstransaksi = mysql_query($query_limit_rstransaksi, $connwebklu) or
die(mysql_error());
$row_rstransaksi = mysql_fetch_assoc($rstransaksi);

if (isset($_GET['totalRows_rstransaksi'])) {
$totalRows_rstransaksi = $_GET['totalRows_rstransaksi'];
} else {
$all_rstransaksi = mysql_query($query_rstransaksi);
$totalRows_rstransaksi = mysql_num_rows($all_rstransaksi);
}
$totalPages_rstransaksi =
ceil($totalRows_rstransaksi/$maxRows_rstransaksi)-1;
?><html><head>
<meta http-equiv="content-type" content="text/html; charset=ISO-
8859-1">
<title>Sistem Informasi Manajemen File</title>
<style type="text/css">
<!--

```

```

.style1 {
color: #FF0000;
font-weight: bold;
}
.style2 {
color: #006600;
font-weight: bold;
}
.style9 {color: #FFFFFF; font-family: Arial; font-size: 12px; }
.style12 {font-family: Arial; font-size: 12px; }
-->
</style>
</head>
<body leftmargin="0" topmargin="0" text="#000000"
bgcolor="#333333" marginheight="0" marginwidth="0" >
<table width="915" align="center" border="0" cellpadding="0"
cellspacing="0">
<tbody>
<tr>
<td width="915" valign="top" bgcolor="#333333"
class="verdana8point"></td>
</tr>
<tr>
<td valign="top" bgcolor="#333333" class="verdana8point"></td>
</tr>
<tr>

```

```
<td valign="top" bgcolor="#0CB832"
class="verdana8point">&nbsp;</td>
</tr>
<tr>
<td height="330" valign="top" bgcolor="#A6EF9C"
class="verdana8point"><table width="868" border="0" align="center">
<tr>
<td width="189" height="114" valign="top"></td>
<td width="620" align="center" valign="top"><table width="622"
height="42" border="0" cellpadding="0" cellspacing="0">
<tr>
<td width="126" height="41"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flas
h/swflash.cab#version=5,0,0,0" width="126" height="40"
title="BTNHOME">
<param name="movie" value="HOME.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="HOME.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index
.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="126" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="122"><strong>
```

```
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNPROFIL">
<param name="movie" value="PROFIL.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="PROFIL.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="119"><object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNGURU">
<param name="movie" value="GURU.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="GURU.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object></td>
<td width="117"><strong>
```

```
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNJABATAN">
<param name="movie" value="JABATAN.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="JABATAN.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
<td width="133"><strong>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="111" height="40"
title="BTNMASAKERJA">
<param name="movie" value="MASAKERJA.swf">
<param name="quality" value="high">
<param name="bgcolor" value="#A6EF9C">
<embed src="MASAKERJA.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="111" height="40"
bgcolor="#A6EF9C"></embed>
</object>
</strong></td>
```

```

</tr>
</table>
<p class="style2"><blink>TRANSAKSI</blink></p>
<table width="671" height="91" border="0">
<tr>
<td height="29" colspan="12" align="left" valign="bottom"
bgcolor="#A6EF9C">
<a href="Tambatransaksi.php"><input name="tambah" type="submit"
value="T A M B A H"></a>
<a href="Laporan.php"><input type="submit" name="LAPORAN"
value="LAPORAN"></a>          </td>
</tr>
<tr>
<td width="51" height="29" align="center" bgcolor="#009933"><span
class="style9">Kode</span></td>
<td width="126" align="center" bgcolor="#009933"><span
class="style9">Nama Guru </span></td>
<td width="126" align="center" bgcolor="#009933"><span
class="style9">Jabatan</span></td>
<td width="126" align="center" bgcolor="#009933"><span
class="style9">Unit Kerja </span></td>
<td width="126" align="center" bgcolor="#009933"><span
class="style9">Masa Kerja </span></td>
<td width="113" align="center" bgcolor="#009933"><span
class="style9">Status</span> </td>
<td width="92" align="center" bgcolor="#009933"><span
class="style9">Sumber Dana </span></td>
<td width="52" align="center" bgcolor="#009933"><span
class="style9">SK Pertama </span></td>

```

```
<td width="56" align="center" bgcolor="#009933"><span
class="style9">SK Terahir </span></td>
```

```
<td colspan="2" align="center" bgcolor="#009933"><span
class="style9">A K S I </span></td>
```

```
</tr>
```

```
<?php do { ?>
```

```
<tr>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['kode_transaksi']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['nama_guru']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['jabatan']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['unit_kerja']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['masa_kerja']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['status']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['sumberdaya']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['sk_pertama']; ?></span></td>
```

```
<td bgcolor="#00CC99"><span class="style12"><?php echo
$row_rstransaksi['sk_terahir']; ?></span></td>
```

```
<td width="39" align="center" bgcolor="#9999FF"><a
href="Ubahtransaksi.php?id=<?php echo
```

```

$row_rstransaksi['kode_transaksi']; ?>" class="style12"><font
color="#000000">ubah</font></a></td>
<td width="48" align="center" bgcolor="#9966FF"><a href="javascript:
if (confirm('Apakah anda yakin untuk menghapus data ini ?'))
{document.location = 'Hapustransaksi.php?id=<?php echo
$row_rstransaksi['kode_transaksi']; ?>';}" class="style12"><font
color="#000000">hapus</font></a></td>
</tr>
<?php } while ($row_rstransaksi = mysql_fetch_assoc($rstransaksi));
?>
</table>
<p>&nbsp;</p></td>
<td width="45" align="center" valign="top"><span class="style1"><a
href="javascript: if (confirm('Anda Yakin Untuk Keluar ?'))
{document.location = 'index.php ';}">logout</a></span></td>
</tr>
</table></td>
</tr>
</tbody>
</table>
</body></html>
<?php
mysql_free_result($rstransaksi);

mysql_free_result($rstransaksi);
?>

```

7. Laporan

```

<?php require_once('Connections/connwebklu.php'); ?>
<?php

```

```
$maxRows_rslaporan = 10;
$pageNum_rslaporan = 0;
if (isset($_GET['pageNum_rslaporan'])) {
$pageNum_rslaporan = $_GET['pageNum_rslaporan'];
}
$startRow_rslaporan = $pageNum_rslaporan * $maxRows_rslaporan;

mysql_select_db($database_connwebklu, $connwebklu);
$query_rslaporan = "SELECT * FROM tabel_guru, tabel_jabatan,
tabel_transaksi, tabel_unit_kerja WHERE
tabel_transaksi.kode_guru=tabel_guru.kode_guru AND
tabel_transaksi.kode_jabatan AND
tabel_jabatan.kode_jabatan=tabel_transaksi.kode_jabatan AND
tabel_transaksi.kode_unit_kerja=tabel_unit_kerja.kode_unit_kerja";
$query_limit_rslaporan = sprintf("%s LIMIT %d, %d",
$query_rslaporan, $startRow_rslaporan, $maxRows_rslaporan);
$rslaporan = mysql_query($query_limit_rslaporan, $connwebklu) or
die(mysql_error());
$row_rslaporan = mysql_fetch_assoc($rslaporan);

if (isset($_GET['totalRows_rslaporan'])) {
$totalRows_rslaporan = $_GET['totalRows_rslaporan'];
} else {
$totalRows_rslaporan = mysql_num_rows($all_rslaporan);
}
$totalPages_rslaporan =
ceil($totalRows_rslaporan/$maxRows_rslaporan)-1;
```

```
?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
.style9 {font-family: "Trebuchet MS"; font-size: large; }
.style16 {font-size: 10px; font-family: Arial; }
.style17 {
font-family: Arial;
font-weight: bold;
}
.style25 {font-size: 10px; font-family: Arial; font-weight: bold; }
-->
</style>
</head>

<body>
<table width="1093" height="27" border="0" align="center"
cellpadding="0" cellspacing="0">
<tr>
<th width="74" bgcolor="#CCCCCC" scope="col"><a
href="home.php">&lt;&lt;Back</a></th>
<th width="60" align="center" bgcolor="#CCCCCC"
scope="col"><script language="JavaScript">
```

```
var gAutoPrint = true; // Tells whether to automatically call the print
function
```

```
function printSpecial()
```

```
{
if (document.getElementById != null)
```

```
{
var html = '<HTML>\n<HEAD>\n';
```

```
if (document.getElementsByTagName != null)
```

```
{
var headTags = document.getElementsByTagName("head");
```

```
if (headTags.length > 0)
html += headTags[0].innerHTML;
}
```

```
html += '\n</HE>\n<BODY>\n';
```

```
var printReadyElem = document.getElementById("printReady");
```

```
if (printReadyElem != null)
```

```
{
html += printReadyElem.innerHTML;
}
```

```
else
```

```
{
alert("Could not find the printReady function");
```

```
return;
```

```
}
```

```
html += '\n</BO>\n</HT>';
```

```
var printWin = window.open("", "printSpecial");
```

```
printWin.document.open();
```

```
printWin.document.write(html);
```

```
printWin.document.close();
```

```
if (gAutoPrint)
```

```
printWin.print();
```

```
}
```

```
else
```

```
{
```

```
alert("The print ready feature is only available if you are using an  
browser. Please update your browser.");
```

```
}
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<a href="javascript:void(printSpecial())">Print</a>
```

```
<div id="printReady"></th>
```

```
<th width="56" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
```

```
<th width="461" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
```

```
<th width="72" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
```

```
<th width="72" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
```

```
<th width="72" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
```

```
<th width="72" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
```

```

<th width="72" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
<th width="82" bgcolor="#CCCCCC" scope="col">&nbsp;</th>
</tr>
</table>
<p>&nbsp;</p>
<table width="718" border="0" align="center">
<tr>
<th width="708" scope="col"><table width="744" height="91"
align="center" cellpadding="0" cellspacing="0">
<tr>
<th width="76" rowspan="3" scope="col"><div align="center"></div></th>
<th width="579" height="29" scope="col"><div align="center"><span
class="style9">SISTEM INFORMASI</span></div></th>
</tr>
<tr>
<td align="center"><span class="style9"><strong>PEMETAAN GURU
TENAGA HONORER DINAS DIKPORA (KLU) </strong></span></td>
</tr>
<tr>
<td align="center"><strong>Jln.Raya Gangga - Bayan </strong></td>
</tr>
</table></th>
</tr>
<tr>
<td></td>
</tr>
</table>

```

```
<p align="center"><span class="style17">LAPORAN GURU
HONORER </span></p>
<form id="form1" name="form1" method="post" action="">
<table width="1090" height="85" border="1" align="center"
cellpadding="0" cellspacing="0" bordercolor="#000000">
<tr >
<th width="37" height="57" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">KODE</span></th>
<th width="82" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">NAMA</span></th>
<th width="85" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">TEMPAT</p>
<p class="style25">LAHIR</p></th>
<th width="71" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">TGL LHR </span></th>
<th width="49" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">JNS</p>
<p class="style25"> KLMN </p></th>
<th width="52" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">UMUR</span></th>
<th width="87" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">JABATAN</span></th>
<th width="76" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">UNIT KERJA </span></th>
<th width="101" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">PENDDKN </p>
<p class="style25">TRAHR </p></th>
<th width="82" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">MASA</p>
```

```

<p class="style25">KERJA</p></th>
<th width="62" bgcolor="#CCCCCC" class="style16"
scope="col"><span class="style25">SETATUS</span></th>
<th width="94" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">SUMBER</p>
<p class="style25">DANA</p></th>
<th width="87" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">SK</p>
<p class="style25"> PERTAMA</p></th>
<th width="95" bgcolor="#CCCCCC" class="style16" scope="col"><p
class="style25">SK </p>
<p class="style25">TERAHIR</p></th>
</tr>

```

```

<?php do { ?>
<tr>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['kode_guru']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['nama_guru']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['tempat_lahir']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['tgl_lahir']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['jenis_kelamin']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['umur']; ?></span></td>

```

```

<td align="center"><span class="style16"><?php echo
$row_rslaporan['jabatan']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['unit_kerja']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['pendidikan_terahir']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['masa_kerja']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['status']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['sumberdaya']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['sk_pertama']; ?></span></td>
<td align="center"><span class="style16"><?php echo
$row_rslaporan['sk_terahir']; ?></span></td>
</tr>
<?php } while ($row_rslaporan = mysql_fetch_assoc($rslaporan)); ?>

</table>
</form>
<table border="0" width="50%" align="center">
<tr>
<td width="23%" align="center"><?php if ($pageNum_rsguru > 0) { //
Show if not first page ?>
<a href="<?php printf("%s?pageNum_rsguru=%d%s", $currentPage,
0, $queryString_rsguru); ?>">First</a>
<?php } // Show if not first page ?>
</td>

```

```
<td width="31%" align="center"><?php if ($pageNum_rsguru > 0) { //
Show if not first page ?>
<a href="<?php printf("%s?pageNum_rsguru=%d%s", $currentPage,
max(0, $pageNum_rsguru - 1), $queryString_rsguru);
?>">Previous</a>
<?php } // Show if not first page ?>
</td>
<td width="23%" align="center"><?php if ($pageNum_rsguru <
$totalPages_rsguru) { // Show if not last page ?>
<a href="<?php printf("%s?pageNum_rsguru=%d%s", $currentPage,
min($totalPages_rsguru, $pageNum_rsguru + 1),
$queryString_rsguru); ?>">Next</a>
<?php } // Show if not last page ?>
</td>
<td width="23%" align="center"><?php if ($pageNum_rsguru <
$totalPages_rsguru) { // Show if not last page ?>
<a href="<?php printf("%s?pageNum_rsguru=%d%s", $currentPage,
$totalPages_rsguru, $queryString_rsguru); ?>">Last</a>
<?php } // Show if not last page ?>
</td>
</tr>
</table>
</p>
<p>
</p>
</body>
</html>
<?php
mysql_free_result($rslaporan);
```

?>